


FlexiSpot

F5 Series Gas Spring Monitor Arm





30%



**Product Assembly/
Disassembly Efficiency**

24.1%



**The Shaft Structure Diameter
Of Products At the Same Price**

Gas Spring Monitor Arm F5 Series

■ Sleeve-Type Quick-Mount System

Quick installation and quick removal, modular installation is more labor-saving and worry-free compared to the bulky overall installation of the old bracket

■ Quick replacement

The upper part of the bracket can be replaced along with the screen.

■ 36mm Diameter Sleeve

Stable and smooth adjustment of the screen, larger than the 29mm diameter of competitors at the same price, more stable and smoother

Common Features




■ Pre-adjusted gas spring

2-9kg load-bearing gas spring pre-adjusted at the factory, eliminating the trouble of adjustment (adjustable screw holes are still retained)

■ Economical gas spring

The overall price of the product is affordable, the basic functions are complete, and compared with the commonly used mechanical springs at the same price, there is no abnormal sound and it is more reliable



■ Semi-quick-release head

The gourd hole facilitates the pre-fixed installation of the screen, and the detachable upper arm allows the screen screws to be installed before the bracket is assembled



■ Upper and lower arm cable management

2 cable management joints are used to hide the monitor screen cables, store and guide the power cables below 8mm, and prevent the desktop cables from being messy.

FlexiSpot

F5



○ White



● Black

F5D



○ White



● Black

SPECIFICATIONS

- Sleeve-Type Quick-Mount System
- Pre-adjusted gas spring
- Semi-quick-release head
- Arm cable management

Model	Max. Load Capacity	Tilt Range	Installation	Swivel Range
F5	2-9KG	-85°~15°	Clamp & Grommet	+90°~-90°

VESA	Screen Size	Screen Rotation	Arm Full Extension	Color
75x75, 100x100	17"~32"	+180°~-180°	575mm	● Black ○ White

FlexiSpot



FlexiSpot

